




DK234 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

IDENTIFICATION CHART




VA crossbar



AERO crossbar



EURO crossbar







HD crossbar

Vehicle	Date	Crossbar	FRONT CROSSBAR					REAR CROSSBAR						
			Front Right Pad/ Clamp	Front Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction	Rear Right Pad/ Clamp	Rear Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction
Jeep Grand Cherokee WK2	11-	1375mm	M282 SUB0370	M281 SUB0370	161mm	106mm	1085mm / 42,23/32"	OUT	M284 SUB0381	M283 SUB0381	145mm	90mm	1053mm / 41,29/64"	OUT
			Arrow FORWARD						Arrow FORWARD					
Kia Cerato 4dr sedan TD	01/09-03/13	1180mm	M282 SUB0370	M281 SUB0370	182mm	127mm	932mm / 36,11/16"	OUT	M284 SUB0381	M283 SUB0381	166mm	111mm	900mm / 35,7/16"	OUT
			Arrow FORWARD						Arrow FORWARD					
Kia Forte 4dr sedan	10-13	1180mm	M282 SUB0370	M281 SUB0370	182mm	127mm	932mm / 36,11/16"	OUT	M284 SUB0381	M283 SUB0381	166mm	111mm	900mm / 35,7/16"	OUT
			Arrow FORWARD						Arrow FORWARD					
Lexus ES 4dr sedan	07-12	1180mm	M282 SUB0370	M281 SUB0370	205mm	150mm	978mm / 38,1/2"	OUT	M284 SUB0381	M283 SUB0381	187mm	132mm	942mm / 37,3/32"	OUT
			Arrow FORWARD						Arrow FORWARD					
Kia Cerato 5dr hatch TD	10/10-07/13	1180mm	M282 SUB0370	M281 SUB0370	177mm	122mm	922mm / 36,19/64"	OUT	M284 SUB0381	M283 SUB0381	156mm	101mm	880mm / 34,41/64"	OUT
			Arrow FORWARD						Arrow FORWARD					



DK234 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

IDENTIFICATION CHART



Vehicle	Date	Crossbar	FRONT CROSSBAR					REAR CROSSBAR						
			Front Right Pad/ Clamp	Front Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction	Rear Right Pad/ Clamp	Rear Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction
Kia Forte 5dr hatch	11-13	1180mm	M282 SUB0370	M281 SUB0370	177mm	122mm	922mm / 36,19/64"	OUT	M284 SUB0381	M283 SUB0381	156mm	101mm	880mm / 34,41/64"	OUT
			Arrow FORWARD						Arrow FORWARD					







DK234 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

Measurement A: CENTRE of door jamb to CENTRE arrow of leg foot plate.

Measurement B: CENTRE of Front leg foot plate arrow to CENTRE of Rear leg foot plate arrow.

Carrying capacity: Roof rack is rated to 75kg. Please refer to manufacturers handbook for your vehicles maximum roof load capacity. Always use the lower of the two figures.

If your vehicle is not listed on this fitting instruction please refer to your countries Rhino-Rack web site for the latest information.



VEHICLE	Date	Measurement A	Measurement B	Load Rating (includes racks 5kg/11lbs)
Jeep Grand Cherokee WK2	11-	190mm / 7,31/64"	750mm / 29,17/32"	68kg / 150lbs
Kia Cerato 4dr sedan TD	01/09-03/13	280mm / 11,1/32"	650mm / 25,19/32"	60kg / 132lbs
Kia Forte 4dr sedan	10-13	280mm / 11,1/32"	650mm / 25,19/32"	60kg / 132lbs
Lexus ES 4dr sedan	07-12	290mm / 11,27/64"	700mm / 27,9/16"	60kg / 132lbs
Kia Cerato 5dr hatch TD	10/10-07/13	260mm / 10,1/4"	650mm / 25,19/32"	60kg / 132lbs
Kia Forte 5dr hatch	11-13	260mm / 10,1/4"	650mm / 25,19/32"	60kg / 132lbs